








ERLIN RD

AUTOMATION

Custom Solutions

Product Line Inspiration



Index

Page

Semi-Automatic production

SEAFOODMDMLIQUIDS /SLURRYORGANS

Drawing nr. 122-657838

Semi-Automatic production

MDMSLURRY

Drawing nr. 122-657843

Semi-Automatic production

SEAFOODMDMLIQUIDS /SLURRYORGANS

Drawing nr. 122-659020

Semi-Automatic production

SEAFOODMDMLIQUIDS /SLURRYORGANS /MEAT

Drawing nr. 122-659023

Semi-Automatic production

SEAFOODMDMLIQUIDS /SLURRYORGANS /MEAT

Drawing nr. 122-657765

Full-Automatic production

MDMLIQUIDS /SLURRY

Drawing nr. 122-656856

Full-Automatic production

MDMLIQUIDS /SLURRY

Drawing nr. 20-650448

Automatic production

SEAFOODMDMSLURRYORGANS /MEAT

Drawing nr. 122-658773

Automatic production

MDMLIQUIDS /SLURRY

Drawing nr. 20-663701

Automatic production

MDMLIQUIDS /SLURRY

Drawing nr. 20-663596

Flexible Pipeloading system

MDMLIQUIDS /SLURRY

Drawing nr. 302-648587

Automatic production

SEAFOODMDMLIQUIDS /SLURRYORGANS /MEAT

Drawing nr. 20-663795

Customize automation solutions

The way forward for production efficiency





Before investing in automation solutions, companies may experience inefficiency and lack of competitiveness due to outdated processes or strategies. Challenges like limited flexibility and slow adaptation to new technological developments can hinder production from being effective.

We address these critical issues with customized, technologically advanced solutions that ensure our customers remain competitive in a rapidly evolving industry.

Solutions for diverse Industries

At Erlinord, we specialize in the development and delivery of customized equipment for efficient handling and palletizing across a wide range of industries, including the meat and poultry, pet food, and fruit and vegetable sectors. Our expertise in robotic technology ensures precision and efficiency in the palletizing processes, helping businesses optimize their production lines.





Handling equipment

Maximize production efficiency and minimize production costs with automatic auxiliary equipment and handling solutions. Automating your production will also have a positive effect on safety, hygiene, and labor costs.

As the only all-in-one supplier of complete freezing, cooling, and heating solutions, we customize automation solutions for all processes from conveyor systems, crane rail constructions, pipe and pump loading systems, cranes, robots, stacking systems, palletizing conveyors, to stretch wrappers, etc.


You can choose manual, semi-, or fully automated equipment, or you can add modules to your existing facility to obtain an all-in-one solution that combines the thermal treatment you need with state-of-the-art handling equipment.



Success stories

Erlinord has a long history of reliable service and quality, evidenced by our enduring customer relationships.

We deliver durable, evolving solutions in automation, making us a preferred partner. Beyond building machines, we create partnerships tailored to your specific needs and goals, establishing us as a leading provider of custom solutions that transform industrial processes.



Production line setup

Our handling equipment ensures smooth and efficient operations throughout the production process.

1 Loading container with scale

- Batch loading for plate freezers
- Fastest option on the market

2 Batch loading crane

3 Unloading crane unit

- Unloading a full plate freezer in less than a minute
- Max 2 operators for high capacity systems

4 Loading table & kipper

- 1 or 2 blocks at a time
- Flexibility for high capacity

5 Block cutter

- Cutting blocks in halves
- No manual handling block dividers

6 Metal detector

- Automatic QA system for metal detection
- Automatic internal control of system

7 Palletizing robot

- Denatur spray for PET food (US market)
- Full pallet scale
- Communication with label unit and SCADA system

8 Manual hood appliance station

9 Automatic pallet wrapping

- Inline system with no manual handling

10 Finished pallets wrapped and labelled entering cold storage area

11 Plate Freezers

Facility

Auxiliary equipment

Auxiliary equipment is designed to streamline your production in a highly hygienic and efficient manner

Loading solutions

Loading equipment is designed using the latest technological developments.

Unloading solutions

Customized systems ensure fast and simple unloading, and facilitate a very large capacity, helping you to boost production efficiency.


Packaging solutions

Our systems guarantee extremely high levels of quality and safety for high-speed palletizing and packaging

Vertical Solutions

*Our vertical solutions provide flexibility
and high capacity, optimized for
various industries.*





Semi-Automatic Crane loading & unloading

Semi automatic production with manual onloading table and semi automatic palletizer.

Cases based on 4 Freezers

- ▶ V3 36/75 Nh3 -38° C
Cycle time 180 min
Approx 42 Ton/24 hours
Block size 1070x535x75 mm
- ▶ V5 36/75 Nh3 -38° C
Cycle time 180 min
Approx 36,1 Ton/24 hours
Block size 820x600x75 mm
- ▶ V7 36/75 Nh3 -38° C
Cycle time 180 min
Approx 44,8 Ton/24 hours
Block size 1220x500x75 mm

SEAFOOD

MDM



LIQUIDS /SLURRY


ORGANS

Drawing nr. 122-657838



Dimensions





Semi-Automatic Production

V16 plate freezer solution

Semi-automatic production with automatic V16 bottom discharge freezers, perfect for smaller production facilities where space for an overhead unloader is limited.


Cases based on 4 Freezers

- ▶ V16-3 32/75 Nh3 -38° C
Cycle time 180 min
Approx 37 Ton/24 hours
Block size 1070x530x75 mm
- ▶ V16-5 32/75 Nh3 -38° C
Cycle time 180 min
Approx 32,1 Ton/24 hours
Block size 600x820x75 mm
- ▶ V16-7 32/75 Nh3 -38° C
Cycle time 180 min
Approx 39,8 Ton/24 hours
Block size 1220x500x75 mm


MDM


LIQUIDS /SLURRY

Drawing nr. 122-657843



Dimensions





Semi-Automatic Production

Crane loading & Pump loading

Semi-automatic production with automatic robot palletizing. Automatic pallet feed and full pallet wrapper. Filling arms for pumpable products with pig cleaning and a bin tipper for non-pumpable products.

Cases based on 9 Freezers

- ▶ V3 26/75 Nh3 -38° C
Cycle time 180 min
Approx 68,3 Ton/24 hours
Block size 1070x535x75 mm
- ▶ V5 26/75 Nh3 -38° C
Cycle time 180 min
Approx 58,7 Ton/24 hours
Block size 600x820x75 mm
- ▶ V7 26/75 Nh3 -38° C
Cycle time 180 min
Approx 72,7 Ton/24 hours
Block size 1220x500x75 mm


SEAFOOD

MDM




LIQUIDS /SLURRY

ORGANS

Drawing nr. 122-659020



Dimensions



Worldwide Service & support

Get in touch with the people behind Erlinord.
We're here to help you find the right solutions.

www.erlinord.com



Thomas Uldall Jørgensen
CEO/ Part owner
+45 20718820
tuj@erlinord.com





Lasse K. Jensen
Spare parts & service manager
+45 2262 5143
aftersales@erlinord.com



Count on our contribution

Automate Your production





Semi-Automatic Production

Crane loading & Pump loading

Semi-automatic production with automatic robot palletizing. Bag station and hygienic rinsing station for optimal hygiene in human consumption production.

Cases based on 16 Freezers

- ▶ V37 36 station flat top freezers.
- Block size 1220 x 500 x 100 mm.
- Block weight 51,8kg.
- Cycle time 240 min.
- Capacity pr day pr. freezer 11.200kg/24 hours
- Capacity 16 freezers 179.200kg/24 Hours

SEAFOOD

MDM



LIQUIDS /SLURRY


ORGANS

Drawing nr. 122-659023



Dimensions





Semi-Automatic production

Pumpable and whole organ products

Cases based on 16 Freezers

- ▶ V3 32/75 Nh3 -38° C
Cycle time 180 min
Approx 148 Ton/24 hours
Block size 1070x535x75 mm
- ▶ V5 32/75 Nh3 -38° C
Cycle time 180 min
Approx 128,4 Ton/24 hours
Block size 600x820x75 mm
- ▶ V7 32/75 Nh3 -38° C
Cycle time 180 min
Approx 159,2 Ton/24 hours
Block size 1220x500x75 mm


SEAFOOD

MDM


LIQUIDS /SLURRY


ORGANS/MEAT

Drawing nr. 122-657765



Dimensions





Full- automatic production

Pumpable products

Fully automatic lights-out production based on automatic V16 freezers with automatic filling, discharge, and cleaning.

Fully automatic robot palletizing, capable of packing full and half blocks thanks to the incorporated block-cutter.

Cases based on 4 Freezers

- ▶ V16 36/75 Nh3 -38° C
- Cycle time 180 min
- Approx 32,5 Ton/24 hours
- Block size 2x 600x400x75 mm


MDM


LIQUIDS /SLURRY

Drawing nr. 122-656856



Dimensions





Full- automatic production

Pumpable products

Cases based on 16 Freezers

- ▶ V3 26/75 Nh3 -38° C
Cycle time 180 min
Approx 121,3 Ton/24 hours
Block size 1070x535x75 mm
- ▶ V5 26/75 Nh3 -38° C
Cycle time 180 min
Approx 104,3 Ton/24 hours
Block size 600x820x75 mm
- ▶ V7 26/75 Nh3 -38° C
Cycle time 180 min
Approx 129,3 Ton/24 hours
Block size 1220x500x75 mm


MDM

LIQUIDS /SLURRY

Drawing nr. 20-650448



Dimensions



Worldwide Service & support

Get in touch with the people behind Erlinord.
We're here to help you find the right solutions.

www.erlinord.com



Thomas Uldall Jørgensen
CEO/ Part owner
+45 20718820
tuj@erlinord.com




Lasse K. Jensen
Spare parts & service manager
+45 2262 5143
aftersales@erlinord.com



Horizontal Solutions

Our horizontal solutions ensure efficient, high-volume handling with precise control, tailored to optimize workflows across different industries.





Automatic production

Horizontal system

Cases based on 1 horizontal freezer

HS Freezer Nh3 -38° C

Cycle time 180 min

Approx 40 Ton/24 hours

Usp:

- Fix waight Blocks
- Trace ability

SEAFOOD

MDM



LIQUIDS /SLURRY

ORGANS/MEAT

Drawing nr. 122-658773



Dimensions




Other Solutions

We offer a range of specialized solutions designed to meet unique production challenges. From custom automation systems to tailored handling equipment, our solutions are built to enhance efficiency and flexibility, ensuring seamless integration into any production environment.



Drawing nr. 20-663701



Drawing nr. 20-663596

Automatic production

Hopper pump & Filling arm



Cases based on 3 Freezers

- ▶ V5 44/75 B Nh3 -38° C
- Cycle time 180 min
- Approx 32,3 Ton/24 Hours
- Block Size 2x600x400x75

Cases based on 1 Freezer



- ▶ V3 24/60 C Nh3 -38° C
- Cycle time 150 min
- Approx 6,5 Ton/24 Hours
- Block Size 3x347x535x60


Dimensions



Drawing nr. 20-663596

Dimensions






Flexible Pipeloading system

Filling arms with 3-way Diverter valves

Cases based on

- ▶ 3 x pump interfaces with pig cleaning
- ▶ 8 x filling arms
- ▶ Highly flexible piperouting system with multiple products at the same time, No contermination.




Dimensions



Filling Arms with 3-Way Valve Setup

The pump will be connected to the system and will pump the product through a series of 3-way valves. This setup allows for a highly complex network of filling arms and multiple pumps in the same system. The maximum distance from the pump to the furthest filling arm is 20 meters due to pressure drop.

The system includes a pigging cleaning system, which is used to clear any remaining product in the pipes. The operator selects the filling arm that needs to be cleaned, and then connects the selected arm to the receiving station. A “pig” is launched from the launch station with compressed air and travels through the pipes to the receiving station.



SEAFOOD

MDM

LIQUIDS / SLURRY

ORGANS/MEAT

Drawing nr. 20-663795

Automatic production

Bin tipper & Forklift


Cases based on 4 Freezers

▶ V5 24/80 B Nh3 -38° C


Cycle time 200 min

Approx 22,5 Ton/24 hours

Block Size 2x600x400x80



Dimensions





Tailored solutions since 1970

All-in-one Automation solutions



Erlinord Automation Since we startet


Founded in 1970, Erlinord specializes in advanced palletizing systems and automation solutions for both pet and human consumption industries.

With strong global partnerships and a dedicated team of experienced professionals, we are ready to demonstrate our capabilities and workshops. Erlinord offers CE-certified machines, custom solutions on an hourly basis, and framework agreements for all bulk handling needs.

Service agreements


Provide you with

- Highly skilled and dedicated specialists
- Minimized downtime
- Preventative inspection
- Extended equipment lifecycle
- Maintained high safety standard
- Environmental responsibility
- Genuine spare parts
- Special price on spare parts
- Special price on labour costs



Service & Spare parts

Even the best equipment require regular service and neglecting that can consequently prove to be costly. Our service agreements will minimize production downtime, suit your operation and budget.



Lasse K. Jensen
Spare parts & service manager
+45 2262 5143
aftersales@erlinord.com



Worldwide Service & support

Get in touch with the people behind Erlinord.
We're here to help you find the right solutions.

www.erlinord.com

Contact Information

Erlinord Automation A/S

Tysklandsvej 4, 7100 Vejle
Denmark
cvr. 44596687
info@erlinord.com

Available Monday to Friday
from 8.00 AM to 16.00PM (CET)
Reach out to us at

+45 75 88 20 88



Thomas Uldall Jørgensen
CEO/ Part owner
+45 20718820
tuj@erlinord.com



Lasse K. Jensen
Spare parts & service manager
+45 2262 5143
aftersales@erlinord.com



Official Partner



Nomad-foodtech
5 RUE DU HELDER 75009 PARIS 9
contact@nomad-foodtech.com
www.nomad-foodtech.com



Scan American Corporation
9505 N Congress Ave
Kansas City, MO 64153
info@scanamcorp.com
www.scanamcorp.com



DSI Dantech
Speditørvej 1, Building 39
9000 Aalborg, Denmark
info@dsidantech.com
www.dsidantech.com

Lokal Collaborators



Juel Concept & Consulting
Barcelona, España
sales@juelconcept.com
www.juelconcept.com



Tech4foods
Tech4foods di Lorenzo Borsatti
20154 Milano (Italia) · Via Mac Mahon, 40
lorenzo.borsatti@tech4foods.it
www.tech4foods.it